



The JNR PAR 18x10 adopts 18 PCS high power 10W LEDs 4-in-1(RGBW) which features high brightness and stability. It is made of a new type of high temperature strength of cast aluminum casing with IP65 rating. It's available independently controlled and linkable with each other for operation. And it is applicable for large-scale live performances, theater, studio, nightclubs and discos.



JNR PAR 18x10

■ JNR-8161C

Specification


- Input Voltage: AC 90-260V 50/60Hz
- Light Source: 18x10W LEDs (4-in-1, RGBW)
- Control Signal: DMX512, master-slave and sound activated or auto operation
- Control Channel: 8 DMX channels USITT DMX-512
- Power Consumption: 110W
- Dimensions: 210(D)*210(W)*120(H)mm
- Packing Dimensions: 250(D)*250(W)*360(H)mm
- Net Weight: 4.0kg
- Gross Weight: 5.0kg

CE | LED | 0.2m | IP65 | T:40°C |


Detail

- 18x10W LEDs(4-in-1, RGBW), 50,000 hrs
- Automatic operation with built-in programs
- Master-slave operation
- 25° beam angle
- 0-100% electronic dimming
- High speed white color or color changing strobe with 1-13Hz frequency range
- DMX512, master-slave and sound activated or auto operation
- 8 DMX channels
- 3-pin XLR connectors IN/OUT
- 40° max environment temperature
- 60° max par light temperature
- T0.8A fuse
- IP65

Light Output (FC=LUX × 0.0929)



R	7900	820	280	140
G	15000	2000	660	320
B	19800	2500	860	440
W	1200	1600	560	300
RGBW	52000	6900	2300	1200



4.0KG