



The JNR PAR 18x10 adopts 18 PCS 10W 4-in-1 LEDs which features high brightness and stability. It's made of a new type of high temperature strength of castaluminum casing with IP65 rating. The fixture is designed and manufactured strictly following CE standards, complying with international standard DMX512 protocol. It' s available independently controlled and linkable with each other for operation. And it is applicable for large-scale live performances, theater, studio, nightclubs and discos.



JNR PAR 18x10

■ JNR-8034B


Specification

- Input Voltage: AC 90-260V 50/60Hz
- Light Source: 18x10W LEDs (4-in-1, RGBW)
- Control Signal: DMX512, master-slave and sound activated or auto operation
- Control Channel: 8 DMX channels USITT DMX-512
- Power Consumption: 180W
- Dimensions: 235(D)*335(W)*300(H)mm
- Packing Dimensions: 250(D)*250(W)*360(H)mm
- Net Weight: 5.70kg
- Gross Weight: 6.46kg

Detail

- 18x10W LEDs (4-in-1, RGBW), 50,000 hrs
- Specific 25 degree optic system
- High light output with 270LUX@7M at full RGBW
- Outstanding RGBW color mixing
- High efficiency LED shutter with variable speed
- Smooth LED dimmer 0-100%
- LED rainbow effect
- Built-in default programs
- Macro effects
- Strobe effect with 18 flashes per second and pulse effect
- General dimming and blackout for all four colors
- DMX512, master-slave and sound activated controllable or auto operation
- 8 DMX channels
- LED display
- Noise free efficient aluminum cooling system
- -25°C~35° cambient temperature
- IP rated 3-pin DMX connectors
- IP65 protection rating

Light Output (FC=LUX × 0.0929)



R	1030	260	100	50
G	2550	470	180	100
B	3000	690	250	130
W	2750	580	230	120
RGBW	9300	1800	820	420

